

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	28	"707"/\$.ccls. AND ((search\$3 quer\$4) NEAR4 (heterogeneous\$2) NEAR4 databases)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 13:09
L2	22	("707"/\$.ccls. AND ((search\$3 quer\$4) NEAR4 (heterogeneous\$2) NEAR4 databases)) AND (((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4 search\$3)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 13:34
S1	745515	hitachi.as.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 13:50
S2	229	hitachi.as. AND ((search\$3 quer\$4) NEAR2 document\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 13:34
S3	7	(hitachi.as. AND ((search\$3 quer\$4) NEAR2 document\$1)) AND (merg\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 13:26
S4	0	morgernstein.in. AND (common NEAR2 format\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:05
S5	0	morgernstein.in. AND SGML	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:05
S6	0	morgernstern.in. AND SGML	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:06
S7	3	morgenstern.in. AND SGML	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 15:06
S8	4	(hitachi.as. AND ((search\$3 quer\$4) NEAR2 document\$1)) AND (topic NEAR2 (word\$1 keyword\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 12:44
S9	1	"5987460".pn. AND associative	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 12:44
S10	5	hitachi.as. AND ((search\$3 quer\$4) NEAR2 document\$1) AND (associative NEAR4 (search\$3 quer\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 13:06
S11	849	(associative NEAR4 (search\$3 quer\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 13:06

S12	118	((associative NEAR4 (search\$3 quer\$4))) AND "707"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 13:06
S13	55	((((associative NEAR4 (search\$3 quer\$4))) AND "707"/\$.ccls.) AND ((keyword\$1 word\$1 term\$1) NEAR4 (search\$3 quer\$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 13:07
S14	1	"6457004".URPN.	USPAT	OR	OFF	2003/09/29 13:09
S15	26	("4734848"   "4992972"   "5257186"   "5331554"   "5544352"   "5598557"   "5606690"   "5713016"   "5732260"   "5754938"   "5754939"   "5794178"   "5798752"   "5832494"   "5838965"   "5845278"   "5893087"   "5911138"   "5933822"   "5933827"   "5963205"   "5987460"   "6012053"   "6029195"   "6175830"   "6182065").PN.	USPAT	OR	OFF	2003/09/29 13:10
S16	31	"5845278".URPN.	USPAT	OR	OFF	2003/09/29 13:20
S17	6	hitachi.as. AND ((search\$3 quer\$4) NEAR2 document\$1) AND associative	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 13:35
S18	6	(hitachi.as. AND ((search\$3 quer\$4) NEAR2 document\$1) AND associative) AND database\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:08
S19	11433	"707"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:09
S20	7	"707"/\$.ccls. AND ((associative NEAR2 (search\$3 quer\$4)) NEAR6 document\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:11
S21	339	((similar\$5 NEAR4 document\$1) NEAR6 (search\$3 quer\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:15
S22	153	((((similar\$5 NEAR4 document\$1) NEAR6 (search\$3 quer\$4))) AND "707"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:11
S23	145	(((((similar\$5 NEAR4 document\$1) NEAR6 (search\$3 quer\$4))) AND "707"/\$.ccls.) AND ((search\$3 quer\$4) NEAR4 (keyword\$1 word\$1 term\$1)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:15
S24	416	((similar\$5 vector\$1) NEAR4 document\$1) NEAR6 (search\$3 quer\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:15

S25	282	(((((similar\$5 vector\$1) NEAR4 document\$1) NEAR6 (search\$3 quer\$4))) AND ((search\$3 quer\$4) NEAR4 (keyword\$1 word\$1 term\$1)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:15
S26	13	(((((similar\$5 vector\$1) NEAR4 document\$1) NEAR6 (search\$3 quer\$4))) AND ((search\$3 quer\$4) NEAR4 (keyword\$1 word\$1 term\$1))) AND ((select\$4 choos\$3) NEAR4 databases)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:16
S27	10	document\$1 NEAR4 as NEAR4 query	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:24
S28	2589	(subsequent NEAR4 (search\$3 quer\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:27
S29	73	(subsequent NEAR4 (search\$3 quer\$4)) NEAR8 document\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:27
S30	48	((subsequent NEAR4 (search\$3 quer\$4)) NEAR8 document\$1) AND "707"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:27
S31	50	document\$1 NEAR4 as NEAR4 (quer\$4 search\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:37
S32	1	document\$1 ADJ4 as ADJ4 (quer\$4 search\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 16:38
S33	51	(document\$1 NEAR4 (subsequent NEAR4 (search\$3 quer\$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:03
S34	153	(result\$1 NEAR4 (subsequent NEAR4 (quer\$4 search\$3)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:04
S35	4	(document\$1 NEAR6 result\$1 NEAR4 (subsequent NEAR4 (quer\$4 search\$3)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:09
S36	2	(similar\$6 NEAR4 document\$1) NEAR4 (search\$3 quer\$4) NEAR4 subsequent	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:10
S37	307	(similar\$6 NEAR4 document\$1) NEAR4 (search\$3 quer\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:10

S38	63	((similar\$6 NEAR4 document\$1) NEAR4 (search\$3 quer\$4) ) AND (document\$1 NEAR2 vector\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:11
S39	46	((similar\$6 NEAR4 document\$1) NEAR4 (search\$3 quer\$4) ) AND (document\$1 NEAR2 vector\$1)) AND "707"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:12
S40	397	(refine NEAR4 (search\$3 quer\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:13
S41	74	((refine NEAR4 (search\$3 quer\$4))) AND (subsequent NEAR4 (search\$3 quer\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:13
S42	3	((refine NEAR4 (search\$3 quer\$4))) AND (subsequent NEAR4 (search\$3 quer\$4))) AND (document\$1 NEAR2 vector\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:16
S43	0	(document\$1 ADJ6 as) ADJ6 quer\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:19
S44	171	document\$1 WITH as WITH quer\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:20
S45	140	(document\$1 WITH as WITH quer\$4 ) AND "707"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:19
S46	5	(document\$1 ADJ6 as) WITH quer\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:21
S47	12	document\$1 NEAR4 as NEAR4 quer\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/29 18:25
S48	42	document\$1 NEAR6 as NEAR6 quer\$4	USPAT	OR	OFF	2003/09/29 18:29
S49	2	"6457004".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 14:54
S50	1	"6457004".pn. AND content\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 15:20
S51	0	"6457004".pn. AND boolean	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 16:33

S52	1	"6457004".pn. AND summar\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 16:33
S53	4	"5987460".pn. "6457004".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/30 17:17
S54	16	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8) NEAR4 (quer\$4 search\$3)) NEAR8 syntactic\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 14:09
S55	12648	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4 search\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 14:24
S56	1644	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4 search\$3)) ) AND (select\$3 NEAR4 database\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 14:10
S57	960	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4 search\$3)) ) AND (select\$3 NEAR4 database\$1)) AND "707"/\$. ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 14:10
S58	60	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4 search\$3)) ) AND (select\$3 NEAR4 database\$1)) AND "707"/\$. ccls.) AND ((search\$3 quer\$4) NEAR4 (multiple pluralit\$4) NEAR4 databases)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 14:16
S59	28	"707"/\$.ccls. AND ((search\$3 quer\$4) NEAR4 (heterogeneous\$2) NEAR4 databases)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 13:08
S60	22	("707"/\$.ccls. AND ((search\$3 quer\$4) NEAR4 (heterogeneous\$2) NEAR4 databases)) AND (((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4 search\$3)) )	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 13:34
S61	150	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4 search\$3)) NEAR8 boolean	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 14:24
S62	132	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4 search\$3)) NEAR8 (syntactical\$2 syntax\$3 semantic\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:21

S63	16	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4 search\$3)) NEAR8 boolean) AND (((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4 search\$3)) NEAR8 (syntactical\$2 syntax\$3 semantic\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 14:27
S64	2	(database\$1 NEAR8 (accept\$3 process\$3 execut\$3) NEAR4 only NEAR4 boolean)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:12
S65	0	(engine\$1 NEAR8 (accept\$3 process\$3 execut\$3) NEAR4 only NEAR4 boolean)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:12
S66	0	(server\$1 NEAR8 (accept\$3 process\$3 execut\$3) NEAR4 only NEAR4 boolean)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:12
S67	9	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4 search\$3)) NEAR8 (syntactical\$2 syntax\$3 semantic\$4) NEAR10 (engine\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:42
S68	12	"5982370".uref.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:41
S69	0	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR4 (quer\$4 search\$3)) NEAR8 (syntactical\$2 syntax\$3 semantic\$4)) AND "5982370".uref.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:43
S70	0	((construct\$4 build\$3 creat\$3 edit\$3 modif\$8 formulat\$4) NEAR8 (syntactical\$2 syntax\$3 semantic\$4)) AND "5982370".uref.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:42
S71	0	((quer\$4 search\$3) NEAR8 (syntactical\$2 syntax\$3 semantic\$4)) AND "5982370".uref.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:43
S72	103	(quer\$4 search\$3) NEAR8 (syntactical\$2 syntax\$3 semantic\$4) NEAR8 (engine\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:44
S73	77	((quer\$4 search\$3) NEAR8 (syntactical\$2 syntax\$3 semantic\$4) NEAR8 (engine\$1)) AND "707"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 15:43
S74	27	((quer\$4 search\$3) NEAR8 (syntactical\$2 syntax\$3 semantic\$4) NEAR8 (engine\$1)) NEAR8 (user\$1 human\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:02

S75	39	((modif\$8 edit\$4 chang\$3) NEAR4 (boolean NEAR2 expression\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:05
S76	4	((confirm\$4) NEAR4 (boolean NEAR2 expression\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 16:07
S77	63	(search ADJ1 engine\$1) NEAR8 (syntactical\$2 syntax\$3 semantic\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/16 17:39
S78	1	"5987460".pn. AND summar\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/18 14:53
S79	2	"5826261".pn. AND quer\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/18 14:53